APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	DEC 16 1996			
Returned to applicant for correction	<u> </u>			
Corrected application filed				
Map filed		NOV 10 1994	Prop POD 60149	
<u> </u>			-	

The applicant Lyon County c/o Dayton Utilities, hereby makes application for permission to change the Point of Diversion, Manner of Use and Place of Use of water heretofore appropriated under Permit 50557

- 1. The source of water is Underground
- 2. The amount of water to be changed 2.78 c.f.s., not to exceed 135.29 mga
- 3. The water to be used for Municipal
- 4. The water heretofore permitted for Quasi-Municipal and Domestic
- 5. The water is to be diverted at the following point SW/NW% Section 24, T.16N., R.21E., MDM, or at a point from which the NW corner of said Section 24 bears North 17°22′49" West, 1487 feet
- 6. The existing permitted point of diversion is located within NE%SE% Section 27, T.16N., R.21E., MDB&M, or at a point from which the SE corner of said Section 27 bears South 15°34′06" East, a distance of 1789 feet
- 7. Proposed place of use See Attached
- 8. Existing place of use SE%, E½SW% Section 28; SW%, portion W½SE% Section 27; portion N½NW% Section 34; N½NE%, NE%NW% Section 33, T.16N., R.21E., MDB&M
- 9. Use will be from January 1 to December 31 of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works Well, pump and motor, and Dayton Utilities water distribution system:
- 12. Estimated cost of works \$200,000
- 13. Estimated time required to construct works 2 years
- .14. Estimated time required to complete the application of water to beneficial use **20 years**
- 15. Remarks: Please use map on file under Permit 50556 to support the existing point of diversion and place of use. Use maps on file under Application 60149 to support the proposed point of diversion, and under Application 60340 to support the proposed place of use. The total combined duty under this application and other applications to change Permit 50556 is not to exceed 146 mga. (See attached additional "Remarks"

By s/Brian A. Randall
Brian A. Randall, Resource Concepts, Inc.
340 North Minnesota Street
Carson City, Nevada 89703

Justice , P. R.

. STATE ENGINEER

	Carson City	, Nevada	89703	•	
Compared cms/bk					
Protested				· 	
	;	WITHDRAWN BY A	PEC DEC	3 0 2003	
			PENT	**	

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

7. Proposed Place of Use

Portion of the SW\(\frac{1}{2}\) SE\(\frac{1}{2}\) SE\(\frac{1}{2}\) Section 4; portion of the N\(\frac{1}{2}\) N\(\frac{1}{2}\), N\(\frac{1}{2}\) Portion of the S\(\frac{1}{2}\) N\(\frac{1}{2}\), N\(\frac{1}{2}\) Portion of the N\(\frac{1}{2}\) SW\(\frac{1}{2}\), N\(\frac{1}{2}\) Portion of the N\(\frac{1}{2}\) N\(\frac{1}{2}\) Section 6; portion of the N\(\frac{1}{2}\) N\(\frac{1}{2}\) Section 16; all of Section 17; S\(\frac{1}{2}\) SW\(\frac{1}{2}\), N\(\frac{1}{2}\) Section 18; all of Section 19; T.16 N., R.22 E., MDB\(\frac{1}{2}\), N\(\frac{1}{2}\), S\(\frac{1}{2}\), S\(\frac{1}\), S\(\frac{1}{2}\), S\(\frac{1}

Item 15. Remarks (continued)

The proposed point of diversion under this application is the same as Ready for Action Applications 62199 and 62220, which seek to change Carson River Final Decree rights into an induction well. Hydrologic modeling of this well indicates that pumpage will include groundwater from the Dayton Valley basin, as well as surface water from the Carson River induced through subsurface pumpage. This application, along with the application concurrently being filed to change Permit 50556, represents the groundwater component to be developed in use of the well.

• ı .